

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/586,571	06/02/2000	Mark A. Webster	INSL:0012	6023
26122	7590 10/20/2004		EXAM	INER
LAW OFFICES OF GARY R. STANFORD			STEVENS, ROBERTA A	
	330 W OVERLOOK MOUNTAIN RD BUDA, TX 78610		ART UNIT	PAPER NUMBER
BODA, TA	70010		2665	

DATE MAILED: 10/20/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		09/586,571	WEBSTER ET AL.			
		Examiner	Art Unit			
		Roberta A Stevens	2665			
Period fo	The MAILING DATE of this communication a or Reply	ppears on the cover sheet with	the correspondence address			
THE - External control	MAILING DATE OF THIS COMMUNICATION mesions of time may be available under the provisions of 37 CFR in SIX (6) MONTHS from the mailing date of this communication. The period for reply specified above is less than thirty (30) days, a repriod for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will.	I. 1.136(a). In no event, however, may a replepty within the statutory minimum of thirty (3 d will apply and will expire SIX (6) MONTH ute, cause the application to become ABAN	y be timely filed 30) days will be considered timely. S from the mailing date of this communication. DONED (35 U.S.C. § 133).			
Status						
1)🖾	Responsive to communication(s) filed on 30	August 2004.				
2a) <u></u> ☐	This action is FINAL . 2b)⊠ Th	nis action is non-final.				
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
4)⊠	Claim(s) 1, 3-20, 22-36 and 38-46 is/are pen	ding in the application.				
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)□	Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1, 3-7,10-18,20,22-30,34-36,38-43 and 46</u> is/are rejected.						
7)	7) Claim(s) <u>8,9,18,19,31-33,44 and 45</u> is/are objected to.					
8)[Claim(s) are subject to restriction and	or election requirement.				
Applicat	ion Papers					
9)[The specification is objected to by the Examir	ner.				
10)[The drawing(s) filed on is/are: a) ac	ccepted or b) objected to by	the Examiner.			
	Applicant may not request that any objection to th	e drawing(s) be held in abeyance	. See 37 CFR 1.85(a).			
	Replacement drawing sheet(s) including the corre					
11)	The oath or declaration is objected to by the B	Examiner. Note the attached C	office Action or form PTO-152.			
Priority (ınder 35 U.S.C. § 119					
12)	Acknowledgment is made of a claim for foreig	un priority under 35 U.S.C. & 1	19(a)-(d) or (f)			
	☐ All b)☐ Some * c)☐ None of:	,pand and a cross of the	(4)			
ŕ	1. Certified copies of the priority documer	nts have been received.				
	2. Certified copies of the priority documer		lication No.			
	3. Copies of the certified copies of the pri	ority documents have been re	ceived in this National Stage			
	application from the International Bure	au (PCT Rule 17.2(a)).				
* 5	See the attached detailed Office action for a lis	st of the certified copies not re-	ceived.			
Attachmen	t(s)					
	e of References Cited (PTO-892)	4) Interview Sum	mary (PTO-413)			
2) 🔲 Notic	e of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/N	fail Date			
	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08 or No(s)/Mail Date	5) Notice of Infor6) Other:	mal Patent Application (PTO-152)			
, ape	Trojopinali Date	0/ LJ Outer				

Art Unit: 2665

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

- 2. Claims 1, 3, 6-18, 20, 22-31, 35, 36 and 38-43 are rejected under 35 U.S.C. 102(e) as being anticipated by Andren (U.S. 6678310 B1).
- 3. Regarding claim 1, Andren teaches (figs. 1A-1C) a transmitter that uses a dual packet configuration for wireless communication, comprising: a first modulator that modulates a first portion of each packet (header) solely according to a serial modulation (BPSK); and a second modulator that modulates a second portion of each packet solely according to a parallel modulation. Andren also teaches (column 8) a header being modulated using BPSK which offer the same result as DSSS and the variable data (payload) maybe modulated in different formats than the header portion which includes OFDM
- 4. Regarding claim 3, Andren teaches (figure 1C) teaches the first portion including a preamble and a header.

Art Unit: 2665

5. Regarding claims 6 and 22, Andren teaches (column 8) the header indicating an OFDM mode bit (Andren teaches that the reference phase of the first symbol of the variable portion of

the packet is the output phase of the last symbol of the header).

6. Regarding claims 7, 23 and 38, Andren teaches (figure 1C) the header including a length

field indicating the duration of the second portion.

7. Regarding claim 8, Andren teaches (column 8-9 and figure 1C and 1D) the second

portion comprising an OFDM (high data rate modulation) synchronization pattern; an OFDM

(high data rate modulation) signal symbol; and an OFDM (high data rate modulation) payload,

the OFDM (high data rate modulation) signal symbol including a data rate section and a data

count section.

8. Regarding claim 9, Andren teaches (column 8-9 and figure 1C and 1D) the OFDM (high

data rate modulation) signal symbol including a data rate section and a data count section.

9. Regarding claim 10, 24, 39 and 40, Andren teaches (column 8-9 and figure 1C and 1D)

the first portion based on a first clock fundamental; and the second portion based on a second

clock fundamental.

10. Regarding claims 11, 12, 25 and 26, Andren teaches (column 8-9 and figure 1C and 1D)

the clock fundamental ranging from 13MHz to 22 MHz.

Art Unit: 2665

11. Regarding claims 13, 27 and 41, Andren teaches (column 8-9 and figure 1C and 1D) the second portion including (OFDM (high data rate modulation) symbols wherein each OFDM (high data rate modulation) symbol includes a guard interval with a standard number of samples for OFDM (high data rate modulation).

- 12. Regarding claims 14, 28 and 42, Andren teaches (column 8-9 and figure 1C and 1D)) the second portion including (OFDM (high data rate modulation) symbols wherein each OFDM (high data rate modulation) symbol includes a guard interval with a increases number of samples.
- 13. Regarding claims 15, 29 and 43, Andren teaches (column 8-9 and figure 1C and 1D)) the second portion including OFDM (high data rate modulation) symbols wherein each OFDM (high data rate modulation) symbol includes a reduced number of frequency subcarriers.
- 14. Regarding claim 16, Andren teaches (column 8-9) each OFDM (high data rate modulation) symbol includes 48 frequency subcarriers.
- 15. Regarding claims 17 and 30, Andren teaches (column 8-9) each of the frequency subcarriers is a data subcarrier.
- 16. Regarding claims 18 and 31, Andren teaches (column 8-9) the frequency subcarriers include at least one pilot tone.

Application/Control Number: 09/586,571

Page 5

Art Unit: 2665

17. Regarding claim 20, Andren teaches (figs. 1A-1C) a wireless communication device that is configured to communicate using a dual packet configuration, comprising: a transmitter configured to transmit packets with a dual configuration; a receiver configured to receive packets with a dual configuration; and the dual packet configuration including first and second portions, the first portion modulated solely according to a serial modulation method and the second portion (payload) modulated according to a parallel modulation method. Andren also teaches (column 8) a header being modulated using BPSK which offer the same result as DSSS and the variable data (payload) maybe modulated in different formats than the header portion which includes OFDM

- 18. Regarding claim 35, Andren teaches (column 9) the transmitter and receiver each are configured to operate in the 2.4 GHz frequency band.
- 19. Regarding claim 36, Andren teaches (figs. 1A-1C) a method of wireless communication using a dual packet communication, comprising: modulating a first portion of each packet solely according to a serial modulation; and modulating a second portion (payload) of each packet according to a parallel modulation. Andren also teaches (column 8) a header being modulated using BPSK which offer the same result as DSSS and the variable data (payload) maybe modulated in different formats than the header portion which includes OFDM

Art Unit: 2665

Claim Rejections - 35 USC § 103

- 20. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 21. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 22. Claims 1, 3-18, 20, 22-31, 34-36, 38-43 and 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Preuss in view of Boer (U.S. 5706428).
- 23. Regarding claim 1, Preuss teaches (figure 3 and column 6) a transmitter that uses a dual packet configuration for wireless communication, comprising: a first modulator that modulates a first portion of each packet (header) solely according to a serial modulation (BPSK); and a

Art Unit: 2665

second modulator that modulates a second portion of each packet (payload) solely according to a parallel modulation (col. 4, lines 1-14, FFT implies OFDM).

- 24. Preuss does not specifically teach the header being modulated using DSSS.
- 25. Boer teaches (abstract and col. 4, lines 25-40) using BPSK uses DSSS coding. Therefore the use of DSSS in Pruess' system would have been obvious as it is well known in the art and inherent is using BPSK.
- 26. Regarding claim 20, Preuss teaches (figure 3 and column 6) a wireless communication device that is configured to communicate using a dual packet configuration, comprising: a transmitter configured to transmit packets with a dual configuration; a receiver configured to receive packets with a dual configuration; and the dual packet configuration including first and second portions, the first portion modulated solely according to a serial modulation (BPSK) method and the second portion modulated according to a parallel modulation method (col. 4, lines 1-14, FFT implies OFDM).
- 27. Preuss does not specifically teach the header being modulated using DSSS.
- 28. Boer teaches (abstract and col. 4, lines 25-40) using BPSK uses DSSS coding. Therefore the use of DSSS in Pruess' system would have been obvious as it is well known in the art and inherent is using BPSK.
- 29. Regarding claim 36, Preuss teaches (figure 3 and column 6) a method of wireless communication using a dual packet communication, comprising: modulating a first portion

Art Unit: 2665

(header) of each packet solely according to a serial modulation (BPSK); and modulating a second portion (payload) of each packet according to a parallel modulation (col. 4, lines 1-14, FFT implies OFDM).

- 30. Preuss does not specifically teach the header being modulated using DSSS.
- 31. Boer teaches (abstract and col. 4, lines 25-40) using BPSK uses DSSS coding. Therefore the use of DSSS in Pruess' system would have been obvious as it is well known in the art and inherent is using BPSK.
- 32. Regarding claim 3, Boer teaches (abstract) teaches the first portion including a preamble and a header.
- 33. Regarding claims 4 and 5, as for the preamble being long or short, it would have been obvious to one of ordinary skill in the art to adapt to Boer's system either long or short preambles to enhance the scope of the invention.
- 34. Regarding claims 6, 22 and 38, Pruess teaches (cols. 5, lines 27-35) the header indicating an OFDM mode bit.
- 35. Regarding claims 7, 23 and 38, Boer teaches (abstract) the header including a length field indicating the duration of the second portion.

Art Unit: 2665

36. Regarding claim 10, 24, 39 and 40, Boer teaches (fig. 8) the first portion based on a first clock fundamental; and the second portion based on a second clock fundamental.

- 37. Regarding claims 11, 12, 25 and 26, as for the clock fundamental ranging from 13MHz to 22 MHz, it would have been obvious to one of ordinary skill in the art to adapt to Pruess and Boer's system this range to enhance the scope of the system.
- 38. Regarding claims 13, 27 and 41, Pruess teaches (col. 11, lines 20-67) the second portion including (OFDM symbols wherein each OFDM symbol includes a guard interval with a standard number of samples for OFDM.
- 39. Regarding claims 14, 28 and 42, Pruess teaches (col. 11, lines 20-67) the second portion including (OFDM symbols wherein each OFDM symbol includes a guard interval with an increases number of samples.
- 40. Regarding claims 15, 29 and 43, Pruess teaches (col. 11, lines 20 col. 12) the second portion including OFDM symbols wherein each OFDM symbol includes a reduced number of frequency subcarriers.
- 41. Regarding claim 16, Pruess teaches (col. 11, lines 20-67) each OFDM symbol includes 48 frequency subcarriers.

Art Unit: 2665

42. Regarding claims 17 and 30, Pruess teaches (col. 11, lines 20-67) each of the frequency subcarriers is a data subcarrier.

- 43. Regarding claims 34 and 46, Pruess teaches (fig. 4) a standard mode of communication as modulating both header and payload in using serial modulation.
- 44. Regarding claim 35, as for the transmitter and receiver each are configured to operate in the 2.4 GHz frequency band, it would have been obvious to one of ordinary skill in the art to adapt to Pruess and Boer 2GHz or any values desired as this is a well known value to use.

Allowable Subject Matter

45. Claims 8, 9, 18, 19, 31-33, 44 and 45 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Art Unit: 2665

Conclusion

1. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Roberta A Stevens whose telephone number is 571-272-3161.

The examiner can normally be reached on M-F 9:00am-5:30pm.

2. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu can be reached on 571-272-3155. The fax phone number for the

aportion, may the call be reached on 371 272 3133. The lax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

3. Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Roberta A Stevens Examiner Art Unit 2665

STEVEN NGUYEN
PRIMARY EXAMINER